

INDEX MAPS.

T. 24N, R. 2E. 2nd Mer.

	180-184	181-183	181-183	181-183	181-182	181-182						
187	6	216	5	208	4	203	3	198	2	192	1	180
	215	215	207	202	197	192						
186	7	215	8	207	9	202	10	197	11	191	12	179
	214	214	206	201	196	191						
186	18	213	17	206	16	201	15	196	14	190	13	179
	212	212	206	200	195	190						
185	19	212	20	205	21	200	22	195	23	189	24	178
	211	210	205	199	194	189						
185	30	210	29	204	28	199	27	194	26	189	25	177
	209	209	204	198	193	188						
184	31	208	32	203	33	198	34	193	35	188	36	177
	173-177	173-176	173-176	174-175	174-175	174-175						

T. 25N, R. 2E. 2nd Mer.

	225-228	225-228	225-227	226-227	226-227	226						
231	6	260	5	252	4	247	3	242	2	236	1	225
	259	259	252	247	241	236						
230	7	259	8	251	9	246	10	241	11	235	12	224
	258	258	251	246	241	235						
230	18	257	17	250	16	245	15	240	14	235	13	223
	257	256	250	245	240	234						
229	19	255	20	249	21	244	22	239	23	233	24	223
	255	255	249	244	238	233						
229	30	254	29	249	28	243	27	238	26	232	25	222
	254	253	248	243	237	232						
229	31	253	32	248	33	242	34	237	35	231	36	222
	219-222	219-221	219-221	219-221	219-220	220						

The figures on the lines refer to the page.

Township Lines.

Ch. Lk. South Boundary, Random Line.

East on S. Boundary of Sec. 31 Var. 5° 10' E.

40.00 set temp. of sec. post

51.50 over Branch 4 Ws. wide come N.

80.00 set temp. post for cor. of sec. 31 & 32

Level 2^d rate. Timber Beech, Ash, Elm, Gum,
Sugar, Oak & Upr. Spice, Alder &

East on S. Boundary of Sec. 32

6.50 enter Swamp, SE

8.00 leave "

30.00 enter " S

32.00 leave "

40.00 set temp. of sec. post

80.00 set temp. post for cor. of sec. 32 & 33

Flat wet 3^d rate land. Timber Oak, Ash, Beech,
Elm & Upr. Spice, B. Ash, Alder &

East on S. Boundary of Sec. 33

39.60 Indian trail, SW

40.00 set temp. of sec. post

63.17 Granite rock 6 Ws. S. 10 Ws.

80.00 set temp. post for cor. of sec. 33 & 34

Land same as last described.

East on S. Boundary of Sec. 34

40.00 set temp. of sec. post

47.00 enter Swamp, N & S.

52.50 leave "

80.00 set temp. post for cor. of sec. 34 & 35

Level 2^d rate land. Timber Beech, Sugar, Ash,
Upr. Spice &

East on S. Boundary of Sec. 35

40.00 set temp. of sec. post

T. 25 N., R. 2 E. 2. Mer. Ind.^aCh^a. Lk^a.

80.00 set temp. post for cor. of sec. 35 & 36
Land same as last described

East on S. Boundary of Sec. 36.

17.00 Indian trail, S.

19.80 Do S.

40.00 set temp. of sec. post

55.00 enter Swamp or Willow Pond, N & S.

61.00 leave "

80.00 set temp. post for cor. of T. 24 & 25 N., R. 2 & 3 E.
Land same as last described, Aug. 22, 1838

Corrected Line.

West on the S. Boundary of Sec. 36

3.30 a Poplar 36 in. dia.

6.92 a Lym 18 " "

40.00 set of sec. post from which

a Sugar 20 in. dia. bears N 56 E 45 W. dist. 8

a Do 24 " " " N 12 W 22 " "

42.97 a W. Oak 40 " "

54.25 a gray Ash 24 in. dia.

57.30 a Sugar 23 in. dia.

59.18 a Beech 30 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears N 40 E 13 W. dist. 8

a Do 14 " " " N 17 W 34 " "

West on the S. Boundary of Sec. 35

2.03 a Beech 11 in. dia.

5.80 a Do 14 " "

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 69 E 27 W. dist. 8

a Do 12 " " " N 17 W 37 " "

42.93 a Buckeye 12 " "

46.26 a Beech 30 " "

80.00 set post cor. of sec. 34 & 35 from which

T. 25 N., R. 2 E. 2. Mer. Ind. a

Chs. 1st.

a Hornbeam 5 in. dia. bears N 56 1/4 E 12 lks. dist. 8
 a Beech 12 " " " N 55 1/4 W 14 " "

West on the S. Boundary of Sec. 34

15.53 a Beech 7 in. dia.

36.26 a Hickory 24 in. dia.

40.00 set of sec. post from which

a Lyrus 4 in. dia. bears N 66 E 7 lks. dist. 8

a B. Walnut 28 " " " N 74 1/2 W 6 " "

59.24 a B. Ash 24 " "

66.63 a Beech 16 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 13 in. dia. bears N 72 1/2 W 20 lks. dist. 8

a B. Ash 5 " " " N 7 E 24 " "

West on the S. Boundary of Sec. 33

0.93 a Beech 12 in. dia.

2.09 a Poplar 40 " "

40.00 set of sec. post from which

a Beech 15 in. dia. bears S 7 1/2 W 2 lks. dist. 8

a Do 22 " " " N 36 E 43 " "

48.30 a Beech 7 " "

49.06 a Swamp Ash 4 in. dia.

80.00 set post cor. of sec. 32 & 33 from which

a Beech 12 in. dia. bears N 47 1/2 W 17 lks. dist. 8

a Do 12 " " " N 25 1/2 E 32 " "

West on the S. Boundary of Sec. 32

10.42 a Beech 18 in. dia.

15.97 a Poplar 50 " "

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 72 E 26 lks. dist. 8

a R. Elm 22 " " " N 11 1/2 W 27 " "

44.10 a W. Elm 30 " "

44.68 a B. Ash 10 " "

80.00 set post cor. of sec. 31 & 32 from which

T. 25 N., R. 2 E. 2^d Mer. Ind.^aCh^r. Cr.

a Beech 13 in. dia. bears N 69° W 20 lbs. dist. 8
 a Do 10 " " " N 49° E 40 " "

West on the S. Boundary of Sec. 31

4.50 a R. Oak 34 in. dia.

7.85 an Ironwood 6 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 81° W 4 lbs. dist. 8

a Do 4 " " " N 18° E 19 " "

73.73 a Buckeye 7 " "

86.58 Intersect W. Boundary at cor. of T. 24 & 25 N,
R. 1 & 2 E. from which

a Hickory 10 in. dia. bears S 4° E 33 lbs. dist. 8

a Beech 13 " " " N 27° W 35 " "

August 25, 1838

East Boundary. Var. 4th 10' E.

North on the E. Boundary of Sec. 36

3.00 a R. Elm 20 in. dia.

18.64 a Poplar 36 " "

37.20 a Swamp Ash 36 in. dia.

40.00 set of sec. post from which

a Beech 11 in. dia. bears N 35° W 65 lbs. dist. 8

a Do 17 " " " S 33° W 61 " "

51.21 a R. Oak 46 in. dia.

57.02 a Poplar 22 " "

59.75 an Indian trail, NW

77.55 a Poplar 30 in. dia.

79.94 enter Glue 20 lbs. wide course W.

80.00 set post cor. of Sec. 25 & 36 from which

a Beech 11 in. dia. bears S 65° W 35 lbs. dist. 8

a Do 16 " " " N 49° W 103 " "

Level 2^d rate land. Timber Beech, Ash, Elm,
 Sugar, Hickory, Walnut, Gum & Spice &c.

North on the E. Boundary of Sec. 25

Chs. Lks.

- 0.20 leave Glue
 4.85 a Sugar 16 in. dia.
 18.00 a W. Elm 18 " "
 36.00 a Swamp Ash 22 in. dia.
 40.00 a B. Ash 24 in. dia. q. sec. corner tree
 40.10 a Swamp Ash 12 in. dia.
 59.62 a B. Ash 12 in. dia.
 66.50 enter Willow Pond, W
 69.00 leave same
 73.48 a W. Elm 50 in. dia.
 80.00 set post cor. of sec. 24 & 25 from which
 a Maple 14 in. dia. bears S 62° W 32 1/2 M. dist. 8
 a Beech 17 " " " N 34° W 55 " "
 Land same as last described.

North on the E. Boundary of Sec. 24

- 9.96 a R. Oak 36 in. dia.
 24.55 a Beech 20 " "
 34.89 a Do 18 " "
 40.00 set q. sec. post from which
 a Beech 10 in. dia. bears N 29° W 19 M. dist. 8
 a Buckeye 10 " " " S 64° W 62 " "
 40.96 a Beech 22 " "
 41.07 a granite rock 5 M. West 3 M.
 48.25 an Indian trail, W
 50.25 a dry Run 10 M. wide course W.
 64.40 an Indian trail, W
 69.90 enter N. fork of Deer Creek 70 M. wide e. W.
 70.95 leave Do
 79.68 a W. Elm 45 in. dia.
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 22 in. dia. bears S 51° W 22 M. dist. 8
 a Do 26 " " " N 58° W 12 " "
 Land same as last described.

North on the E. Boundary of Sec. 13

T. 25 N., R. 2 E. 2. Mer. Ind. ^u

Chr. Sk!

- 8.98 a Beech 34 in. dia.
 11.80 an Indian trail, NE
 30.09 a Beech 16 in. dia.
 40.00 set gr. sec. post from which
 a Beech 20 in. dia. bears S43°W 44 lks. dist. S
 a Do 8 " " " N16°W 54 " "
 43.98 a Poplar 30 " "
 47.88 a B. Ash 18 " " & enter Swamp, NE
 50.00 leave Swamp
 50.08 an Indian trail, W
 70.95 a Beech 9 in. dia.
 77.55 a Sugar 24 " "
 80.00 set post cor. of sec. 12 & 13 from which
 a Beech 7 in. dia. bears S80°W 39 lks. dist. S
 a Do 12 " " " N66°W 45 " "
 Gently rolling 2nd rate land. Timber Beech,
 Oak, Ash, Sugar, Elm, Gum & Upr. Spice,
 Pawpaw &c.

North on the E. Boundary of Sec. 12

- 12.60 a Beech 14 in. dia.
 20.14 a Do 12 " "
 23.66 a W. Oak 60 " "
 40.00 set gr. sec. post from which
 a Beech 40 in. dia. bears N30°W 11 lks. dist. S
 a Do 17 " " " S15°W 40 " "
 45.27 a Swamp Ash 12 in. dia.
 48.46 a Poplar 18 in. dia. & Indian trail, NW
 59.00 enter dry Swamp, E & W
 68.16 a Jack Oak 12 in. dia.
 70.50 leave Swamp
 80.00 set post cor. of sec. 1 & 12 from which
 a W. Oak 20 in. dia. bears N13°W 40 lks. dist. S
 a Up. Ash 24 " " " S76°W 30 " "
 Flat 2nd rate land. Timber Ash, Elm, Oak,
 & Upr. Spice, Sugar, Willow &c.

T. 25 N., R. 2 E. 2. Mer. Ind. a
Chs. Lk.

North on the E. Boundary of Sec. 1

17.45 a B. Ash 24 in. dia.

27.39 a Beech 34 " "

37.00 a Poplar 36 " "

38.50 enter Willow Swamp, NE

40.00 set of sec. post from which

a Willow 10 in. dia. bears N43°W 81 Ws. dist. 8

a Maple 10 " " S 31°W 66 " "

44.00 leave Swamp

53.90 a Hickory 12 in. dia.

67.31 a gray Ash 12 " "

81.59 Intersect N. Boundary 102 Ws. E. of temp. post -
set post at intersection cor. of T. 25 & 26 N., R. 2
& 3 E. from which

an Ironwood 5 in. dia. bears N64°W 39 Ws. dist. 8

a B. Ash 10 " " S 75°E 8 " "

Land same as last described.

October 16, 1838

North Boundary.

Random Line. Var. 5.40. E.

East on S. Boundary of Sec. 31, T26 N., R2 E.

40.00 set temp. of sec. post

71.11 a dry Branch 22 Ws. wide course N.

80.00 set temp. post for cor. of Sec. 31 & 32

Level 2. rate land. Timber Beech, Elm,
Oak, Ash, Sugar, Walnut, Lyndb. Spice &c.

East on S. Boundary of Sec. 32, T26 N., R2 E

40.00 set temp. of sec. post

80.00 set temp. post for cor. of sec. 32 & 33

Flat 2. rate land. Timber Elm, Ash, Hickory,
Beech, Oak &c. Upr. Spice, Oak, Ash &c.

East. on S. Boundary of Sec. 33, T26 N., R2 E.

40.00 set temp. of sec. post

T. 25 N., R. 2 E., T. Mer. Ind. a

Chs. 1st.

48.50 a dry Branch 10 Ws. wide course NW

64.00 a granite rock 4 Ws. in line

74.00 Indian trail to Logansport, NW

80.00 set port cor. of sec. 33 & 34 (temporary)

Level 2nd rate land, timber same as last.

East on S. Boundary of Sec. 34, T. 26 N., R. 2 E

21.35 a dry Branch 20 Ws. wide course N.

40.00 set temp. of sec. port

80.00 set temp. port for cor. of sec. 34 & 35

Flat 2nd rate land, timber same

East on S. Boundary of Sec. 35, T. 26 N., R. 2 E

4.70 an Indian trail, NW

11.05 a dry Branch 35 Ws. wide course NW

40.00 set temp. of sec. port

80.00 set temp. port for cor. of sec. 35 & 36

Land same as last described.

East on S. Boundary of Sec. 36, T. 26 N., R. 2 E

27.00 a granite rock 3 Ws. S. of line 4 Ws.

40.00 set temp. of sec. port

56.50 enter a dry solid Swamp, SE

62.50 leave same

80.00 set temp. port for cor. of T. 25 & 26 N., R. 2 & 3 E.

Land same as last described.

October 15, 1838

Corrected Line.

West on the S. Boundary of Sec. 36, T. 26 N., R. 2 E.

0.03 a W. Oak 28 in. dia.

7.35 a Sycamore 36 in. dia.

40.00 set of sec. port from which

a Sugar 4 in. dia. bears N 37 E 11 Ws. dist. 25

a Beech 6 " " " N 48 W 32 " "

40.56 a Poplar 30 " "

T. 25 N., R. 2 E., S. 2 Mer. Ind.

Ch. S. M.

42.07 a Gray Ash 30 in. dia.

51.20 a Red Oak 36 " "

80.00 set part cor. of sec. 35 & 36 from which

a W. Elm 10 in. dia. bears N 83° W 11 W. dist. 8

a Do 4 " " " N 43° E 13 " "

West on the S. Boundary of Sec. 35, T. 26 N., R. 2 E

1.02 a W. Elm 14 in. dia.

9.23 a Pin Oak 28 " "

40.00 set of sec. part from which

a Hickory 22 in. dia. bears N 44° E 9 W. dist. 8

a Do 10 " " " S 22° W 25 " "

45.61 a B. Ash 10 " "

48.74 a Sugar 12 " "

80.00 set part cor. of sec. 34 & 35 from which

a Beech 28 in. dia. bears N 65° E 21 W. dist. 8

a Buckeye 6 " " " N 57° W 55 " "

West on the S. Boundary of Sec. 34, T. 26 N., R. 2 E

1.28 a Beech 22 in. dia.

2.39 a Do 20 " "

4.81 a Hickory 24 in. dia.

40.00 set of sec. part from which

a Beech 7 in. dia. bears N 37° W 27 W. dist. 8

and Ironw. 7 " " " N 39° E 8 " "

46.07 a Beech 12 " "

50.85 a Sugar 24 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech 12 in. dia. bears N 23° E 38 W. dist. 8

a Sup. Ash 5 " " " N 55° W 40 " "

West on the S. Boundary of Sec. 33, T. 26 N., R. 2 E.

0.30 a Gray Ash 30 in. dia.

2.13 a Beech 10 " "

9.81 a Do 3 " "

39.88 a Do 18 " "

T. 25 N., R. 2 E. 2^d Mer. Ind^a.

Chs. Spr.

- 40.00 set of sec. post from which
 a Sugar 24 in. dia. bears N15E 14 Ws. dist. 8
 a Beech 10 " " " N53W42 " "
- 41.79 a Sugar 22 " "
- 48.22 a Beech 20 " "
- 80.00 set post cor. of sec. 32 & 33 from which
 a Beech 9 in. dia. bears N28E 50 Ws. dist. 8
 a Bur Oak 30 " " " N21W38 " "

West on the S. Boundary of Sec. 32, T26N, R2E.

- 3.57 a Beech 10 in. dia.
- 8.50 a Gray Ash 30 in. dia.
- 40.00 set of sec. post from which
 a Beech 18 in. dia. bears N32E 35 Ws. dist. 8
 a Do 18 " " " N32W45 " "
- 45.00 a Beech 24 " "
- 58.39 a Pin Oak 18 " "
- 80.00 set post cor. of sec. 31 & 32 from which
 a Beech 23 in. dia. bears N37W33 Ws. dist. 8
 a Do 8 " " " N33E40 " "

West on the S. Boundary of Sec. 31, T26N, R2E.

- 2.65 a W. Elm 10 in. dia.
- 2.85 a Beech 10 " "
- 6.05 a R. Oak 36 " "
- 40.00 set of sec. post from which
 a Beech 10 in. dia. bears N34W19 Ws. dist. 8
 a Do 11 " " " N61E 65 " "
- 46.57 a B. Ash 30 " "
- 57.66 a Beech 24 " "
- 58.08 a B. Ash 12 " "
- 81.02 Intersect W. Boundary at post cor. of T. 25 & 26
 N, R. 1 & 2 E. from which
 a Beech 18 in. dia. bears S52E 31 Ws. dist. 8
 a Do 8 " " " N30W5 " "
- October 17, 1838

T. 25 N., R. 2 E. 2^d Mer. Ind.

Chs. Str.

West Boundary. Var. #. 10' E.
 North on the E. Boundary of Sec. 36, T25N, R1E.
 8.11 a Beech 8 in. dia.
 14.26 a Do 19 " "
 26.53 a Do 17 " "
 29.97 a Poplar 34 " "
 39.92 a Beech 16 " "
 40.00 set of sec. post from which
 a Beech 7 in. dia. bears S46°W 38 lbs. dist. 8
 a Do 8 " " " N6°W 37 " "
 56.50 a dry Branch 20 lbs. wide course W.
 58.90 a Sugar 30 in. dia.
 80.00 set post cor. of sec. 25 & 36 from which
 a Beech 9 in. dia. bears S47°W 37 lbs. dist. 8
 a Do 18 " " " N36°W 10 " "
 Level 2^d rate land. Timber Beech, Sugar, Poplar,
 Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 25, T25N, R1E.
 6.16 a Sugar 15 in. dia.
 19.66 a Beech 9 " "
 28.00 enter Creek 24 lbs. wide course W. very little
 water.
 31.58 a Pin Oak 28 in. dia.
 40.00 set of sec. post from which
 a Beech 18 in. dia. bears S12°W 59 lbs. dist. 8
 a Do 18 " " " N84°W 12 " "
 59.52 a Beech 16 " "
 75.59 a Do 14 " "
 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 20 in. dia. bears S7½°W 22 lbs. dist. 8
 a Do 28 " " " N87°W 24 " "
 Flat 2^d rate land. Timber Beech, Elm, Hickory,
 Sugar &c. Upr. Spice, Sugar &c. Oct. 11. 1838

North on the E. Boundary of Sec. 24, T25N, R1E.

T. 25 N., R. 2 E. 2^d Mer. Ind^aCh. 1st

- 5.64 a Beech 17 in. dia.
 28.81 a Do 10 " "
 33.90 a Do 15 " "
 40.00 set of sec. post from which
 a Beech 7 in. dia. bears S 11 W 26 W. dist. 8
 a Do 8 " " " N 65 W 39 " "
 43.50 a Beech 11 " "
 53.67 a Do 24 " "
 68.20 enter North & main fork of Deer Creek 80 W.
 wide course W.
 74.40 a Sycamore 96 in. dia.
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 22 in. dia. bears S 56 W 27 W. dist. 8
 a Do 14 " " " N 44 W 14 " "
 First half mile land same as last described,
 last half mile level T.th rate land. Timber
 Beech, Sugar, Elm & W. Ulp. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 13, T. 25 N., R. 1 E

- 1.61 a Beech 34 in. dia.
 6.50 an Indian trail, SW
 28.70 a Beech 19 in. dia.
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears N 41 W 9 W. dist. 8
 a Do 8 " " " S 50 W 50 " "
 54.58 a Pin Oak 22 in. dia.
 76.16 a Beech 13 " "
 80.00 set post cor. of sec. 12 & 13 from which
 a Beech 10 in. dia. bears S 45 W 19 W. dist. 8
 a Do 22 " " " N 32 W 38 " "
 Level T.th rate land. Timber Beech, Sugar, Elm,
 Walnut, Buckeye & W. Ulp. Spice, Pawpaw &c.
 October 12. 1838

North on the E. Boundary of Sec. 12, T. 25 N., R. 1 E

- 13.96 a Beech 13 in. dia.

T. 25 N., R. 2 E. 2^d Mer. Ind^a
 Cr. Sh?

- 25.72 a Beech 13 in. dia.
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S 25° W 25 Yds. dist. 8
 a Do 8 " " " N 84° W 35 " "
 45.02 a Gum 22 " "
 61.08 a Beech 21 " "
 76.16 a Red Oak 30 in. dia.
 80.00 set post cor. of sec. 1 & 12 from which
 a Beech 12 in. dia. bears S 35° W 25 Yds. dist. 8
 a Do 16 " " " N 17° W 08 " "
 Level 2^d rate land. Timber Beech, Elm, Ash,
 Sugar, Hickory, Gum & Spice, Pawpaw &c.

North on the E. Boundary of Sec. 1, T. 25 N., R. 1 E.

- 8.52 a Gum 12 in. dia.
 24.70 a Beech 11 " "
 28.01 a Sugar 34 " "
 40.00 set of sec. post from which
 a Beech 6 in. dia. bears S 10° W 62 Yds. dist. 8
 a Hornbeam 5 " " " N 29° W 40 " "
 73.03 a Pin Oak 40 " "
 74.00 enter Willow Pond, SW. no water
 79.00 leave same
 84.58 to post cor. of T. 25 & 26 N., R. 1 & 2 E.
 Land same as last described.
 October 13. 1838 Arthur S. C. Vance
 Deputy Surveyor.

Subdivision. Var. 4th 10th E.

Commenced on the 18th and completed on
 the 31st day of October 1838.

North between Sec. 35 & 36

- 7.35 a Beech 10 in. dia.
 8.81 a Do 10 " "
 33.25 a dry Slue 20 Yds. wide course W
 34.95 a Cherry 20 in. dia.

T. 25 N., R. 2 E. 2. Mer. Ind.^a

Ch. 2. Sec.

40.00 set of sec. part from which
 a Beech 12 in. dia. bears S 78 E 25 Ws. dist. 8
 a Lym 20 " " " N 61 W 17 " "

47.00 a W. Elm 40 " "

64.05 a Beech 19 " "

71.20 a dry Glue 50 Ws. wide course W.

76.30 a Beech 22 in. dia.

80.00 set part cor. of sec. 25, 26, 35 & 36 from which
 a Beech 22 in. dia. bears S 39 E 36 Ws. dist. 8
 a Do 23 " " " N 70 W 14 " "

Gently rolling prairie land. Timber Beech,
 Sugar, Ash, Elm, Lym, Hickory &
 Upr. Spice & Sugar

East on Random between Sec. 25 & 36

10.00 an Indian trail, S.

26.00 enter Sugar camp

35.00 leave Do

49.93 an Indian trail, S E.

78.00 enter Glue 35 Ws. wide course N E

78.00 leave Do

80.12 Intersect E. Boundary 30 Ws. S. of port -
 Level prairie land. Timber as last noted

489.47 W. Connected between Sec. 25 & 36

7.30 a W. Elm 24 in. dia.

21.92 a Do 30 " "

40.00 set of sec. part at aver. dist. from which
 a Beech 7 in. dia. bears S 17 W 17 Ws. dist. 8
 a Buckeye 10 " " " N 33 W 9 " "

43.98 a Beech 10 " "

60.08 a Hickory 24 " "

80.12 to sec. cor.

North between Sec. 25 & 26

11.14 an Indian trail, NW

T. 25 N., R. 2 E. 2. Mer. Ind.

- Ch. 1st.
- 15.00 enter Sugar camp
 20.00 leave do
 24.82 a Lym 36 in. dia.
 30.62 a Maple 14 " "
 37.85 a dry Glue 24 lbs. wide course W.
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S 5 E 18 lbs. dist. 2
 a Pin Oak 28 " " " N 20 W 12 " "
 44.38 a Beech 22 " "
 46.00 an Indian trail, NW
 64.80 a Swamp Ash 30 in. dia.
 65.00 a dry Glue 15 lbs. wide course W.
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which
 a Beech 22 in. dia. bears S 54 E 16 lbs. dist. 3
 a do 14 " " " S 68 W 50 " "
 Land same as last described.

East on Randon between Sec. 24 & 25

- 19.85 an Indian trail, S.
 80.50 Intersect E. Boundary 12 lbs. S. of post—
 Land same as last described.

West Corrected between Sec. 24 & 25

- 1.23 a Beech 12 in. dia.
 20.20 a do 22 " "
 40.25 set of sec. post at aver. dist. from which
 a Beech 26 in. dia. bears S 34 E 9 lbs. dist. 3
 a B. Ash 40 " " " N 43 E 36 " "
 40.50 a Hickory 24 " "
 80.50 to sec. cor.

North between Sec. 23 & 24

- 2.24 a W. Elm 30 in. dia.
 15.25 an Indian trail, NW
 31.50 a Hickory 20 in. dia.
 40.00 set of sec. post from which

T. 25 N., R. 2 E. 2. Mer. Ind. "

E. 1/2 Sec. 13

- a Beech 12 in. dia. bears S 70 E 21 W. dist. 3
 a Sugar Ash 24 " " " S 40 W 38 " "
 41.75 a dry Run 10 Ws. wide course W.
 51.80 an Indian trail, W.
 51.95 a Buckeye 7 in. dia.
 52.75 over Deer Creek 85 Ws. wide course W.
 64.90 a Sugar 28 in. dia.
 71.70 enter Glue 70 Ws. wide course W.
 72.50 a Lym 40 in. dia.
 76.80 enter Glue 75 Ws. wide course W.
 77.50 ascend Bluff 15 feet high, W.
 80.00 set part cor. of sec. 13, 14, 23 & 24 from which
 a Beech 6 in. dia. bears S 81 W 40 Ws. dist. 3
 a Do 5 " " " N 81 1/2 E 15 " "
 Level 1/2 rate land. Timber Beech, Sugar, Elm,
 Lym, Walnut & Upr. Spice & Oct. 18, 1838

East on Random between Sec. 13 & 24

- 6.50 over Spring run 4 Ws. wide course S.
 8.00 enter Swamp, SW
 10.00 leave "
 20.00 a Run 6 Ws. wide course S.
 37.50 a Do 7 " " " S.
 47.00 enter Pond, SW
 57.50 leave "
 62.50 an Indian trail, S.
 67.50 a Do S.
 80.58 Intersect E. Boundary 40 Ws. S. of part -
 Rolling 1/2 rate land. Timber Beech, Oak, Elm,
 Sugar, Walnut & Upr. Spice &

S. 1/2 Sec. 14. Corrected between Sec. 13 & 24

- 8.12 a Beech 28 in. dia.
 40.29 set gr. sec. part at aver. dist. from which
 a Pin Oak 28 in. dia. bears S 44 E 2 Ws. dist. 3
 a W. Elm 14 " " " N 44 W 9 " "

T. 25 N., R. 2 E., T. 1 Mer. Ind. a. 235
Ch. Sp.

50.37 a W. Elm 34 in. dia.

80.58 to sec. cor.

North between Sec. 13 & 14.

2.75 a Beech 24 in. dia.

18.50 an Indian trail, NE

39.74 a Hickory 24 in. dia.

40.00 set of sec. post from which
a Beech 12 in. dia. bears S 65° W 11 Wn. dist. 8
a Do 5 " " " S 81° E 8 " "

44.38 a Sugar 22 " "

65.00 a Swamp Ash 13 in. dia.

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Beech 30 in. dia. bears N 74° W 54 Wn. dist. 3
a Do 10 " " " S 87° E 12 " "
Level 2. rate land. Timber Beech, Sugar,
Ash, Poplar, Elm, Lym & Spicer Sugar &c.

East on Random between Sec. 12 & 13

28.30 an Indian trail, S.

79.83 Intersect E. Boundary 22 Wn. S. of post—
Land same as last described.

S. 89.51 W. Corrected between Sec. 12 & 13

12.31 a B. Ash 30 in. dia.

24.43 a Beech 22 " "

39.91 1/2 set of sec. post at aver. dist. from which
a Beech 6 in. dia. bears S 69° W 7 Wn. dist. 3
a Do 12 " " " N 10° W 30 " "

42.91 1/2 a Beech 12 " "

59.16 a Poplar 23 " "

79.83 to sec. cor.

North between Sec. 11 & 12

0.86 a Poplar 40 in. dia.

20.40 a Hickory 23 " "

T. 25 N., R. 2 E. 2^d Mer. Ind.^a

6 W. 8 N.

37.04 a Bur Oak 42 in. dia.

40.00 set of sec. post from which

a W. Oak 12 in. dia. bears N 89° W 16 Ws. dist. 8

a Ironwood 4 " " " N 88° E 18 " "

44.95 a Poplar 40 " "

52.25 a Sugar 12 " "

59.00 a Bur Oak 24 in. dia.

69.38 a Lym 11 in. dia.

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 13 in. dia. bears S 34° E 37 Ws. dist. 8

a Buckeye 14 " " " S 85° W 10 " "

Land same as last described.

Part on Random between Sec. 1 & 12

10.00 enter Windfall, NW

28.00 leave Do

28.50 an Indian trail, SW

79.18 Intersect E. Boundary 52 Ws. S. of post -

Flat 2^d rate land. Timber Elm, Hickory, Ash
& Uly. Spice, Pawpaw &c.

S 89° 40' W. Corrected between Sec. 1 & 12

4.09 a Beech 10 in. dia.

19.51 a R. Oak 24 " "

39.59 set of sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 7° E 29 Ws. dist. 2

a Hornbeam 4 " " " N 11° W 9 " "

40.55 a Beech 10 " "

59.47 a Do 14 " "

79.18 to sec. cor.

North between Sec. 1 & 2

0.64 a Lym 15 in. dia.

20.56 a W. Oak 30 " "

33.00 an Indian trail, NW

40.00 set of sec. post from which

T. 25 N., R. 2 E., 2^d Mer. Ind.^a
Chas. W.

- a Beech 28 in. dia. bears N 79° W 5 lbs. dist. 8
a Dr 12 " " " S 57° E 29 " "
46.08 a Bur Oak 40 in. dia.
51.15 a Sycamore 40 " "
75.02 a W. Elm 30 " "
82.58 Intersect N. Boundary 117 lbs. E. of post—
set post at intersection cor. of sec. 1 & 2 from which
a B. Ash 5 in. dia. bears S 71° E 39 lbs. dist. 8
a W. Elm 7 " " " S 59° W 53 " "
Land same as last described. Oct. 19. 1838

North between Sec. 34 & 35

- 23.00 a Beech 22 in. dia.
26.00 enter Glue 40 lbs. wide course W
26.80 leave same
35.36 a B. Ash 30 in. dia.
40.00 set of sec. post from which
a Sugar 7 in. dia. bears N 59° W 30 lbs. dist. 8
a Beech 9 " " " S 85° E 3 " "
45.03 a Sugar 27 " "
50.00 Granite rock 4 lbs. SW. 2 lbs.
64.75 an Indian trail, NW
67.40 a B. Ash 46 in. dia.
70.10 enter Creek 50 lbs. wide course NW
71.00 leave Do
80.00 set post cor. of sec. 20, 21, 34 & 35 from which
a Beech — in. dia. bears N 71½° W 41 lbs. dist. 8
a Hornbeam — " " " S 71½° E 19 " "
Level T. rate land, Timber Beech, Sugar,
Ash, Elm, Walnut, Buckeye & Spice &c.

East or Random between Sec. 20 & 35

- 80.04 Intersect N & S line 8 lbs. N. of post—
Land same as last described.

West Corrected between Sec. 20 & 35

T. 25 N., R. 2 E. 2^d Mer. Ind^a

Chr. Spr.

- 3.98 a Beech 10 in. dia.
 23.00 a B. Walnut 40 in. dia.
 40.02 set q. sec. post at aver. dist. from which
 a Beech 14 in. dia. bears N 72 E 30 W. dist. 8
 a Do 11 " " " S 72 W 3 " "
 44.29 a Beech 20 " "
 62.12 a Do 20 " "
 80.04 to sec. cor.

North between Secs. 26 & 27

- 18.04 a Beech 24 in. dia.
 33.75 a Do 23 " "
 37.00 a dry Creek 12 W. wide course SW
 38.75 a granite rock 10 W. of line 3 W.
 40.00 set q. sec. post from which
 a Beech 17 in. dia. bears N 30 W 34 W. dist. 8
 a Do 22 " " " S 18 E 19 " "
 41.20 an Indian trail, NW
 42.80 a B. Walnut 50 in. dia.
 51.45 a Hickory 30 in. dia.
 72.25 a dry Glue 25 W. wide course W
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Beech 24 in. dia. bears N 64 E 1 W. dist. 8
 a Do 30 " " " S 64 W 32 " "
 Sound same as last described.

East on Random between Secs. 23 & 26

- 40.88 an Indian trail, SE
 47.50 a Do SE
 79.00 Intersect N & S. line 8 W. N. of post—
 Level 2^d rate land. Timber Beech, Ash, Elm,
 Hickory & Upr. Spice &c.

West Corrected between Secs. 23 & 26

- 6.06 a Beech 11 in. dia.
 20.55 a W. Oak 28 " "

T. 25 N., R. 2 E. 2^d Mer. Ind. a
Ch. Sp.

39.80 set q. sec. post at aver. dist. from which
a Beech 11 in. dia. bears S 39 W 21 W. dist. 8
a Hornbeam 6 " " " N 40 E 10 " "
43.16 a Sugar 30 " "
79.60 to sec. cor.

North between Sec. 22 & 23

9.50 an Indian trail, NE
11.51 a Buckeye 5 in. dia.
16.00 enter Windfall, NW
21.00 enter field on S. side
21.75 a Buckeye 24 in. dia.
25.50 over N. side of field.
28.25 an Indian trail, E & NW. & leave Windfall
31.00 enter N. fork of Deer Creek 90 W. wide course W.
32.00 leave same
34.00 an Indian trail, W
38.00 enter Glue 40 W. wide course SE
38.95 leave do
39.75 a Bur Oak 32 in. dia.
39.90 over same Glue 20 W. wide course W.
40.00 set q. sec. post from which
a Beech 10 in. dia. bears N 33 W 9 W. dist. 8
a Hornbeam 10 " " " N 67 E 29 " "
41.30 enter Glue 30 W. wide course SE
44.00 leave same 11 " " " SE
50.25 an Indian trail, NW
50.65 a Beech 22 in. dia.
59.25 a do 32 " " " October 20. 1838
59.30 an Indian trail, NW
80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a Beech 24 in. dia. bears S 81 W 42 W. dist. 8
a do 26 " " " N 51 E 39 " "
Gently rolling T. state land. Timber Beech,
Sugar, Ash, Walnut, Elm, Buckeye, Oak &
Upr. Spice, Pawpaw & October 20. 1838

T. 25 N., R. 2 E., 2^d Mer. Ind. a.Ch. 1st.

In Section 23 on the left bank of Deer Creek stands an Indian Village, about 12 Ch. East from the West Boundary.

East on Random between Sec. 14 & 23

1.20 an Indian trail, N & S.

40.50 a Do SE

45.25 a Do SE

48.75 a Do SE

49.70 over Spring branch 4 M. wide course SE.

59.70 over dry Run 6 M. wide course S.

73.80 over Spring branch 3 M. wide course S. Clear cold water.

79.65 Intersect N & S. line 20 M. S. of point —
Land same as last described.

S. 89° 49' W. Connected between Sec. 14 & 23

9.30 a Buckeye 9 in. dia.

21.04 a double Beech 12 in. dia.

39.82¹/₂ set of sec. part at aver. dist. from which
a Sugar 18 in. dia. bears S 23° W 10 M. dist. S
a Beech 7 " " " N 55° E 33 " "

41.95 a Beech 10 " "

60.65 a B. Ash 22 " "

79.65 to sec. cor.

North between Sec. 14 & 15

13.00 an Indian trail, NW

22.26 a Hickory 12 in. dia.

31.23 a Beech 8 " "

40.00 set of sec. part from which

a Beech 30 in. dia. bears N 80° W 10 M. dist. S

a Do 11 " " " S 80° E 37 " "

42.50 a Beech 12 " "

62.76 a W. Elm 26 " "

80.00 set part cor. of sec. 10, N, 14 & 15 from which

Completed.

T. 25 N., R. 2 E. 2^d Mer. Ind. a

Chr. Pl.

a Beech 26 in. dia. bears S 78 E 43 W. dist. 3
 a Do 12 " " " S 26 W 16 " "
 Level 2^d rate land. Timber Beech, Elm, Hickory,
 Ash &c. Upr. Spice &c.

East on Random between Sec. 11 & 14

8.50 an Indian trail, S E

79.64 Intersect N & S. line 4 W. S. of post —
 Land same as last described.

West Corrected between Sec. 11 & 14

2.78 a Hickory 20 in. dia.

23.48 a Do 18 " "

39.82 set of sec. post at aver. dist. from which
 a Bur Oak 36 in. dia. bears S 24 E 10 W. dist. 3
 a Swamp Ash 26 " " " N 42 W 46 " "

41.29 a W. Elm 13 in. dia.

62.34 a Do 12 " "

79.64 to sec. cor.

North between Sec. 10 & 11

8.30 a gray Ash 38 in. dia.

11.00 an Indian trail, NW

17.74 a R. Oak 40 in. dia.

40.00 set of sec. post from which
 a Beech 5 in. dia. bears S 12 W 3 W. dist. 3
 a Hickory 14 " " " N 6 E 21 " "

56.70 a Beech 10 " "

64.02 a R. Oak 50 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which
 a Beech 6 in. dia. bears N 44 W 4 W. dist. 3
 a R. Oak 50 " " " S 57 E 23 " "
 Land same as last described.

East on Random between Sec. 2 & 11

79.90 Intersect N & S. line 52 W. S. of post —

T. 25 N., R. 2 E., 2^d Mer. Ind.^a

Chr. Spr.

Flat 2^d rate land. Timber Elm, Oak, Ash,
Beech, Hickory, Lym V. Spice, P. Ash V.

S. 89° 40' W. Corrected between Sec. 2 & 11

4.21 a Lycamore 55 in. dia.

22.06 a Poplar 26 " "

39.95 set gr. sec. post at aver. dist. from which
a Beech — in. dia. bears N 79° W 32 lbs. dist. 3
a Do 4 " " " S 35° E 18 " "

42.21 a Beech 10 " "

63.43 a Do 6 " "

79.90 to sec. cor.

North between Sec. 2 & 3

7.03 a Lym 8 in. dia.

16.35 a Bur Oak 30 in. dia.

29.42 a Beech 12 " "

31.00 enter fallen timber, NE

40.00 set gr. sec. post from which

a Beech 6 in. dia. bears N 69° W 10 lbs. dist. 3

a Buckeye 6 " " " S 10° E 8 " "

41.00 leave fallen timber

42.11 a W. Oak 24 in. dia.

46.56 a Bur Oak 30 in. dia.

66.34 a Beech 10 in. dia.

78.40 a W. Elm 11 " "

82.94 Intersect N. Boundary 49 lbs. E. of post —
set post at intersection cor. of sec. 2 & 3 from which
an Ironwood 7 in. dia. bears S 56° W 7 lbs. dist. 3

a Do 5 " " " S 42° E 8 " "

Flat 2^d rate land. Timber Oak, Beech, Elm &
Upr. Spice & October, 22. 1838

North between Sec. 33 & 34

4.75 a Sugar 22 in. dia.

30.50 over dry Slue 25 lbs. wide curve W

T. 25 N., R. 2 E. 2. Mer. Ind. a

Ch. 10.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 50 E 28 lbs. dist. 3

a Do 30 " " " N 78 W 33 " "

40.70 a Beech 26 " "

60.35 a Lycamore 40 in. dia.

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Beech 10 in. dia. bears N 62 W 9 lbs. dist. 3

a Do 11 " " " S 69 E 23 " "

Land same as last described.

East on Random between Sec. 27 & 34

17.00 an Indian trail, NE

62.50 enter a dry Branch 40 lbs. wide come SW

63.00 leave same

68.75 an Indian trail, SE

80.10 Intersect N & S line 22 lbs. S. of post -

Gently rolling 2 rate land. Timber Beech,
Sugar, Elm, Lym., Walnut & Spice &c

S 89 51 W. Corrected between Sec. 27 & 34

6.07 a Beech 19 in. dia.

20.44 a Harnbeam 3 in. dia.

40.05 set of sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 11 W 23 lbs. dist. 3

a Do 8 " " " S 56 W 8 " "

40.16 a gray Ash 36 in. dia.

40.59 a Lym 28 in. dia.

63.20 a Beech 7 " "

80.10 to sec. cor.

North between Sec. 27 & 28

2.20 a Beech 8 in. dia.

40.00 set of sec. post from which

a Beech 9 in. dia. bears N 50 W 20 lbs. dist. 3

a B. Ash 5 " " " S 44 1/2 E 10 " "

56.75 a Poplar 36 " "

T. 25 N., R. 2 E., S. Mer. Ind.^a

Ch. 1st.

08.98 a Swamp Ash 7 in. dia.

09.50 a granite rock 3 lbs. in line

77.75 an Indian trail, NW

80.00 set part cor. of sec. 21, 22, 27 & 28 from which
 a Sugar 36 in. dia. bears S 80° W 30 lbs. dist. 8
 a Beech 12 " " " N 80° E 48 " "
 Level 2nd rate land. Timber Beech, Elm, Ash,
 Sugar & Upr. Spice, Pawpaw &c.

East on Random between Sec. 22 & 27

25.00 an Indian trail, NE

50.25 enter dry Creek 20 lbs. wide course NW

52.00 leave. Do

64.80 Indian trail, NW

80.25 Intersect N & S. line 60 lbs. N. of part —
 Gently rolling T. rate land. Timber Beech,
 Sugar, Ash, Elm, Walnut, Buckeye &c.
 Upr. Spice, Pawpaw &c.

N. 89° 35' W. Corrected between Sec. 22 & 27

3.08 a Beech 7 in. dia.

26.15 a Do 17 " "

40.12 1/2 set of sec. part at aver. dist. from which
 a Beech 4 in. dia. bears N 30° W 10 lbs. dist. 8
 a Buckeye 8 " " " S 69° E 19 " "

55.20 a Buckeye 4 in. dia.

80.25 to Sec. Cor.

North between Sec. 21 & 22

11.25 a Beech 24 in. dia.

19.90 a R. Elm 30 " "

27.85 an Indian trail, W

36.00 over Creek 60 lbs. wide course W.

40.00 set of sec. part from which

a W. Elm 14 in. dia. bears N 86° W 25 lbs. dist. 8
 a Hornbeam 4 " " " S 70° E 15 " "

T. 25 N., R. 2 E. 2. Mer. Ind. a
 E. W. S. W.

40.45 a B. Walnut 50 in. dia.

40.78 enter Deer Creek 90 Yds. wide course W.

41.78 leave Do

43.00 an Indian trail, E & W.

61.10 a Beech 14 in. dia.

80.00 at port cor. of sec. 15, 16, 21 & 22 from which
 a Beech 24 in. dia. bears N 64 E 46 Yds. dist. &
 a Maple 14 " " " S 48 W 30 " "
 Land same as last described & same level
 bottom. October 24, 1838

East on Random between Sec. 15 & 22

2.50 enter dry Willow Pond

6.00 leave Do

81.18 Intersect 17 Yds. S. of port -

Level State land. Timber Beech, Ash, Elm,
 Oak, Sugar & Upr. Spice &

West Corrected between Sec. 15 & 22

1.93 a Bur Oak 19 in. dia.

22.76 a W. Elm 40 " "

40.59 at g. sec. port at aver. dist. from which
 a Beech 11 in. dia. bears N 64 W 16 Yds. dist. &
 a Do 10 " " " S 38 E 47 " "

44.69 a B. Ash 4 " "

61.50 a Beech 8 " "

81.18 to sec. cor.

North between Sec. 15 & 16

12.70 a Beech 24 in. dia.

32.50 an Indian trail, N & E

40.00 at g. sec. port from which
 a Beech 15 in. dia. bears N 74 W 7 Yds. dist. &
 a Do 14 " " " S 66 E 63 " "

45.00 enter Sugar camp

50.00 leave same & enter dry Branch 14 Yds.

T. 25 N., R. 2 E. T. Mer. Ind.^a

Ch. Sp.

wide course SW

52.00 leave dry Branch

54.06 a Poplar 30 in. dia.

71.40 an Indian trace, NW

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Beech 6 in. dia. bears N 78 E 9 lks. dist. &
a Do 22 " " " S 80 W 36 " "Gently rolling 2^d rate land. Timber Beech,
Sugar, Ash, Elm, Hickory, Walnut & Upr.
Spice, Pawpaw &c.

East on Random between Sec. 10 & 15

58.00 enter Willow Pond, dry

70.00 leave Do

71.00 an Indian trace, N.

81.66 Intersect N & S. line 8 lks. S. of post —
Level 2^d rate land. Timber Beech, Ash,
Elm, Sugar, Poplar & Upr. Spice &c.

West Corrected between Sec. 10 & 15

7.27 a Poplar 48 in. dia.

22.04 an Ironwood 3 " "

40.83 set of sec. post at aver. dist. from which
a Beech 7 in. dia. bears N 2 E 10 lks. dist. &
a Mulberry 6 " " " S 20 E 8 " "

44.29 a B. Ash 36 " "

66.54 an Ironwood 6 in. dia.

81.66 to sec. cor.

North between Sec. 9 & 10

5.45 a Beech 5 in. dia.

20.15 a B. Ash 28 " "

27.93 a Beech 24 " "

33.60 a Do 24 " "

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 20 W 8 lks. dist. &

T. 25 N., R. 2 E., T. 3 Mer. Ind.^a
Ch. 1, 2, 3

a Beech 20 in. di. bears N 54 E 23 W. dirt.
43.70 a Beech 12 " "
49.18 a Sugar 24 " "
61.85 over dry Glue 20 W. wide course W
74.00 enter dry Pond
76.50 leave Do
80.00 set post cor. of sec. 3, 4, 9 & 10 from which
a Beech 10 in. di. bears N 86 E 32 W. dirt. S
a Do 16 " " " N 88 W 53 " "
Land same as last described.

East on Random between Sec. 3 & 10
19.50 enter dry Pond
22.00 leave Do
45.00 an Indian trace, SE.
82.10 Intersect N & S line at post -
Land same as last described.

West Connected between Sec. 3 & 10
6.02 a Beech 7 in. di.
24.03 a Hunkbeam 3 in. di.
41.05 set of sec. post at aver. dirt. from which
a Beech 11 in. di. bears N 20 E 23 W. dirt. S
a Do 10 " " " S 46 E 24 " "
43.23 a Beech 4 " "
67.15 a Do 22 " "
82.10 to Sec. cor.

North between Sec. 3 & 4
30.04 a Beech 6 in. di.
40.00 set of sec. post from which
a Buckeye 9 in. di. bears S 34 W 27 W. dirt. S
a Beech 7 " " " N 46 E 32 " "
46.22 a Beech 14 " "
58.40 a Do 24 " "
65.52 a Lycamore 60 in. di.

T. 25 N., R. 2 E. 2 Mer. Ind.^a

Ch. Sk.

70.50 an Indian trace, NW

82.82 Intersect N. Boundary 232 Yds. W. of post —
 set post at intersection cor. of sec. 32 & 4 from which
 a Beech 8 in. dia. bears S 38° W 48 Yds. dist. S
 a Do 6 " " " S 71° E 42 " "
 Land same as last described. Oct. 25, 1838

North between Sec. 32 & 33

9.90 a Beech 10 in. dia.
 16.98 a B. Ash 11 " "
 32.90 over dry Slue 20 Yds. wide course W.
 35.00 a Chesnut Oak 50 in. dia.
 40.00 set of sec. post from which
 a Beech 7 in. dia. bears N 80° E 31 Yds. dist. S
 a Buckeye 3 " " " S 82° W 9 " "
 42.15 a Sugar 30 " "
 57.00 a gray Ash 28 in. dia.
 80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 a Sugar 22 in. dia. bears S 34° W 16 Yds. dist. S
 a Beech 6 " " " N 44° E 27 " "
 Gently rolling State land. Timber Beech,
 Sugar, Ash, Elm, Walnut & Upr. Spice,
 Sugar &c.

East on Random between Sec. 28 & 33

36.08 a granite rock 4 Yds. in line
 79.00 Intersect N & S line 40 Yds. S. of post —
 Land same as last described.

S 89° 43' W. Corrected between Sec. 28 & 33

6.75 a Beech 6 in. dia.
 22.64 a Do 13 " "
 39.80 set of sec. post at aver. dist. from which
 a Beech 24 in. dia. bears S 39° W 15 Yds. dist. S
 a Do 13 " " " N 70° E 22 " "
 41.44 a Sugar 24 " "

T. 25 N., R. 2 E. 2. Mer. Ind. a.
Ch. 10.

60.04 a B. Ash 4 in. dia.

79.60 to sec. cor.

North between Sec. 28 & 29

10.90 a Beech 10 in. dia.

38.36 a Swamp Ash 8 in. dia.

40.00 set of sec. post from which

a Spruce 5 in. dia. bears S 53 W 22 Ws. dist. 2

a W. Elm 10 " " " N 42 E 42 " "

63.00 a Beech 17 " "

70.10 a Do 22 " "

80.00 a Beech 26 " " corner tree for Sec. 20, 21, 28
& 29 Land same as last described.

East in Random between Sec. 21 & 28

10.42 over dry Creek 20 Ws. wide course N.

70.50 an Indian trace, SE

79.59 Intersect N. Y. line 24 Ws. S. of post -

Level 2-rate land. Timber Beech, Ash,
Elm, Spruce, Sugar, Walnut & Wp. Spice,
Pawpaw &c

S. 89.50 W. Corrected between Sec. 21 & 28

3.12 a Sugar 28 in. dia.

19.91 a W. Elm 17 " "

39.79 1/2 set of sec. post at area. dist. from which

a Beech 14 in. dia. bears S 26 W 5 Ws. dist. 2

a Do 10 " " " " N 7 E 28 " "

43.41 a Beech 3 " "

60.23 a W. Elm 22 " "

79.59 to sec. cor.

North between Sec. 20 & 21

8.01 a B. Ash 24 in. dia.

19.00 over a Spring

19.50 over a small Creek 20 Ws. wide course W.

T. 25 N., R. 2 E., S. 1 Mer. Ind.^a

Ch. & K.

21.85 an Indian trail, NE

25.20 over same creek 16 hrs. wide course NE

34.07 enter Deer creek 100 hrs. wide course W

35.50 leave do

40.00 set gr. sec. post from which

a W. Walnut 5 in. dia. bears N 67° W 23 hrs. dist. S

a Buckeye 10 " " " N 82° E 28 " "

40.50 a Beech 24 " "

55.06 an Ironwood 7 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a Beech 22 in. dia. bears N 47° E 13 hrs. dist. S

a Hornbeam 3 " " " S 25° W 25 " "

Part rolling & part level T. state land. Timber
Beech, Sugar, Walnut, Buckeye, Ash, Elm,
& W. Spr. Spice, Pawpaw &c.

East on Random between Sec. 16 & 21

13.60 over small creek 14 hrs. wide course S.

60.50 a nest of granite rocks in line

61.00 an Indian trail, N.

64.25 over creek 20 hrs. wide course SW. (water)

70.40 a granite rock 6 hrs. S. of line 10 hrs.

79.83 Intersect N & S. line 30 hrs. S. of post—

Land same as last described. October 26, 1838

S. 89.47 W. Corrected between Sec. 16 & 21

5.29 a Sugar 20 in. dia.

27.83 a Beech 23 " "

39.91½ set gr. sec. post at aver. dist. from which

a Beech 6 in. dia. bears N 25° W 18 hrs. dist. S

a B. Ash 24 " " " South 1 " "

43.06 a Beech 23 " "

62.53 a do 18 " "

79.83 to sec. cor.

North between Sec. 16 & 17

T. 25 N., R. 2 E. 2. Mer. Ind. a.
Chr. 1st?

19.59 a Beech 7 in. dia.

25.00 a Pin Oak 30 in. dia.

40.00 set of sec. post from which

a W. Elm 6 in. dia. bears N 72° W 17 1/2 m. dist. 8

a Do 4 " " " N 85° E 14 " "

44.40 a B. Ash 14 " "

74.12 a Bur Oak 24 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Bur Oak 34 in. dia. bears S 44° E 26 1/2 m. dist. 8

a Maple 20 " " " N 4° E 9 " "

Level 2nd rate land. Timber Beech, Ash, Elm,

Sugar, Oak, Gum & Wye. Spruce &

East in Random between Sec. 9 & 16

75.00 an Indian trail, N & S.

79.00 Intersect N & S. line 6 m. S. of post—

Land same as last described.

West Corrected between Sec. 9 & 16

3.11 a Sugar 10 in. dia.

20.50 a Poplar 30 " "

39.50 set of sec. post at aver. dist. from which

a Beech — in. dia. bears S 60° W 21 1/2 m. dist. 8

a Do — " " " N 43° W 18 " "

43.38 a Hickory 16 " "

63.38 a Do 22 " "

79.00 to sec. cor.

North between Sec. 8 & 9

24.72 a Beech 24 in. dia.

28.05 a W. Elm 14 " "

37.40 a Hickory 30 " "

40.00 set of sec. post from which

a Beech 13 in. dia. bears N 41° W 23 1/2 m. dist. 8

a Sugar 16 " " " S 55° E 16 " "

42.00 a Red Oak 36 in. dia.

T. 25 N., R. 2 E. 2^d Mer. Ind.^a

Chr. Gr.

70.07 a Beech 9 in. dia.

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
 a Hickory 20 in. dia. bears N 21° W 5 lks. dist. &
 a Hornbeam 4 " " S 40 1/2° E 6 " "
 Land same as last described.

East on Random between Sec. 4 & 9

6.75 a granite rock 4 lks. in line

23.16 over dry Branch 10 lks. wide course NW.

27.10 an Indian trace, N & S.

78.82 Intersect N & S. line 62 lks. E. of post —

Gently rolling 2^d rate land. Timber Beech,
 Ash, Poplar, Elm, Sugar, Walnut & Spice &c.

N. 89° 33' W. Corrected between Sec. 4 & 9

12.40 a B. Ash 22 in. dia.

21.66 a Beech 24 " "

39.91 set gr. sec. post at aver. dist. from which
 a Hornbeam 6 in. dia. bears N 36° W 9 lks. dist. &
 a B. Walnut 13 " " S 13° E 27 " "

45.51 a Poplar 30 " "

61.29 a Beech 30 " "

78.82 to sec. cor.

North between Sec. 4 & 5

0.93 a B. Ash 28 in. dia.

19.86 a Beech 12 " "

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 65° W 42 lks. dist. &

a Do 14 " " S 83° E 21 " "

40.60 a Beech 10 " "

44.00 enter Swamp or Willow Pond, dry

47.00 leave "

61.75 a Beech 12 in. dia.

82.83 Intersect N. Boundary 118 lks. W. of post —

set post at intersection cor. of sec. 4 & 5 from which

T. 25 N., R. 2 E. 2^d Mer. Ind.^a
 Ch. Sp.

a Buckeye 4 in. dia. bears S 54 E 25 W. dist. 3
 a Beech 12 " " " S 47 W 60 " "
 Land same as last described. Oct. 27, 1838

North between Sec. 31 & 32

5.88 a Beech 20 in. dia.
 31.50 over dry Branch 20 W. wide course W.
 33.50 a granite rock 3 W. in line
 34.38 a Sugar 23 in. dia.
 40.00 set of sec. post from which
 a Hornbeam — in. dia. bears S 58 E 22 W. dist. 3
 a Beech 20 " " " S 46 W 24 " "
 43.00 enter Pond
 45.00 leave "
 52.25 a Poplar 46 in. dia.
 64.32 a Beech 16 " "
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which
 a Poplar 30 in. dia. bears S 71 W 16 W. dist. 3
 a Beech 12 " " " N 73 E 25 " "
 Level rich & rate land. Timber Beech, Poplar,
 Sugar, Elm, Ash, Walnut & Wyl. Spice,
 Leatherwood &c.

East on Random between Sec. 29 & 32

75.60 over dry Glue 15 W. wide course NW
 79.24 Intersect N & S. line 5 W. S. of post —
 Land same as last described.

West Corrected between Sec. 29 & 32

1.07 a Beech 7 in. dia.
 1.63 a Do 18 " "
 21.97 a Do 6 " "
 39.62 set of sec. post at aver. dist. from which
 a Beech 7 in. dia. bears N 35 W 25 W. dist. 3
 a Do 6 " " " S 44 E 23 " "
 42.20 a Beech 10 " "

T. 25 N., R. 2 E. 2. Mer. Ind. ^a

Ch. Lk.

61.40 an Ironwood 4 in. dia.

79.24 to sec. cor.

West in Random between Sec. 30 & 31

13.10 over dry Branch 15 M. wide course N.

80.93 Intersect W. Boundary 4 M. N. of point
Level 2^d rate land. Timber Beech, Ash,
Elm, Hickory, Oak, Sycamore & Ulp. Spice,
Alder &c.

East Corrected between Sec. 30 & 31

Bearings for corner in West Boundary:

a Beech 6 in. dia. bears S 24 E 44 M. dist. 8

a Do 7 " " " N 30 E 53 " "

5.90 a Hickory 7 in. dia.

20.80 a Beech 20 " "

40.93 set of sec. post from which

a Beech 7 in. dia. bears N 30 E 5 M. dist. 28

a Do 18 " " " S 15 1/2 E 38 " "

43.41 a Beech 14 " "

80.93 to sec. cor.

North between Sec. 29 & 30

10.08 a Poplar 40 in. dia.

10.80 a W. Oak 55 " "

21.72 a Sugar 30 " "

31.10 a dry Slue 20 M. wide course SN

40.00 set of sec. post from which

a Beech 36 in. dia. bears N 74 W 14 M. dist. 8

a Do 11 " " " S 33 E 10 " "

56.82 a Beech 30 " "

64.70 a W. Elm 48 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Sugar 24 in. dia. bears S 54 W 37 M. dist. 8

a Beech 18 " " " N 31 E 15 " "

Level 2^d rate land. Timber Beech, Ash,

T. 25 N., R. 2 E. 2^d Mer. Ind. a
Chr. Lk.

Elin, Sugar & Ulp. Spice &

East on Random between Sec. 20 & 29

79.40 Intersect N & S. line 15 Ws. N. of corner tree.
Land same as last described.

West Corrected between Sec. 20 & 29

2.27 a Beech 12 in. dia.

22.38 a Do 5 " "

39.70 set q. sec. post at aver. dist. from which
a Beech 20 in. dia. bears N 67° W 4 Ws. dist. 8
a Gray Ash 30 " " " S 41° E 13 " "

41.77 a Poplar 40 " "

63.93 a Beech 14 " "

79.40 to sec. cor.

West on Random between Sec. 19 & 30

80.39 Intersect W. Boundary 50 Ws. N. of post—
Level 1st rate land. Timber Beech, Sugar,
Elin, Ash, Walnut, Buckeye & Ulp. Spice,
Pawpaw &

N 89.39 E. Corrected between Sec. 19 & 30

Bearings for corner in W. Boundary:

a Beech 9 in. dia. bears N 85° E 36 Ws. dist. 8

a Do — " " " S 42° E 40 " "

10.73 a Beech 6 " "

25.19 a Do 22 " "

40.39 set q. sec. post from which

a R. Elin 6 in. dia. bears N 48° W 25 Ws. dist. 3

a Sugar 6 " " " S 64° E 14 " "

46.89 a Beech 18 " "

62.95 a Do 34 " "

80.39 to sec. cor.

North between Sec. 19 & 20

T. 25 N., R. 2 E. 2. Mer. Ind.^a
Ch. Sk.

- 9.50 an Indian trail, NW
 10.35 a Beech 10 in. dia.
 12.00 a granite rock 6 lbs. in line
 23.70 a Beech 22 in. dia.
 40.00 set g. sec. post from which
 a Beech 10 in. dia. bears N 81° W 13 lbs. dist. 3
 a R. Elm 3 " " " S 89° E 30 " "
 46.27 a Beech 18 " "
 49.00 a Do 17 " "
 49.23 a W. Walnut 24 in. dia.
 50.30 an Indian trail, W. and improvement on
 right & left, and cabin on each
 59.46 over Blue 20 lbs. wide course W. Oct. 29, 1838
 68.15 enter Deer Creek 90 lbs. wide course SW
 69.50 leave Do
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Beech 20 in. dia. bears S 71° W 44 lbs. dist. 3
 a Cherry 6 " " " N 71° E 18 " "
 Land same as last described.

East on Random between Sec. 17 & 20

- 33.70 a granite rock 4 lbs. in line
 44.42 a dry Branch 10 lbs. wide course S.
 78.80 Intersect N. S. line 16 lbs. N. of post—
 Gently rolling T. State land. Timber Beech,
 Ash, Sugar, Elm, Walnut, Buckeye &
 Upr. Spice &

West Corrected between Sec. 17 & 20

- 2.72 a Buckeye 7 in. dia.
 21.00 a Sugar 26 " "
 39.40 set g. sec. post at aver. dist. from which
 a Beech 7 in. dia. bears S 25° W 15 lbs. dist. 3
 a Do 40 " " " N 15° E 39 " "
 43.58 a Beech 7 " "
 61.84 a Do 40 " "

257

T. 25 N., R. 2 E., T. 2 Mer. Ind. ^a

Ch. Sp.

78.80 to sec. cor.

West on Random between Sec. 18 & 19

12.15 al granite rock 400 yds. in line

30.15 over Spring branch 200 yds. wide course S.

47.70 enter Deer Creek 400 yds. wide course W

49.50 leave Do course NW

55.00 enter Do 75 yds. wide course SW.

62.50 leave Do 80 " " " " SW

70.00 an Indian trail, SW

80.26 Intersect N. G. line 54 yds. N. of post —

Land same as last described.

N 89.38 E. Corrected between Sec. 18 & 19

Bearings for corner in W. Boundary:

a Beech 23 in. dia. bears S 80 E 30 yds. dist. &

a Do 30 " " " S 37 E 77 " "

0.82 a Beech 22 " "

40.26 set of sec. post from which

a Beech 22 in. dia. bears S 17 E 28 yds. dist. &

a Sugar 18 " " " N 15 W 36 " "

45.00 a Beech 7 " "

47.50 a Do 36 " "

80.26 to sec. cor.

North between Sec. 17 & 18

3.10 a Sugar 38 in. dia.

17.00 a Beech 26 " "

40.00 set of sec. post from which

a R. Oak 14 in. dia. bears S 62 W 17 yds. dist. &

a Hornbeam 3 " " " N 79 E 12 " "

50.12 a Beech 20 " "

60.07 a Sugar 30 " "

75.10 an Ironwood 8 in. dia.

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 20 in. dia. bears S 37 W 35 yds. dist. &

T. 25 N., R. 2 E. L. Mer. Ind.^a
 Ch. Lk.

a Beech 18 in. dia. bears N 61 E 50 W. dist.
 Level 2. rate land. Timber Beech, Ash, Elm,
 Oak, Sugar & Upr. Spice &

East on Random between Sec. 8 & 17

78.70 Intersect N & S. line 14 W. N. of post —
 Flat & wet 2. rate land. Timber Ash, Maple,
 Hickory, Lym., Elm, Oak, Ash Beech &
 Upr. Swamp Ash, Spice &

West Corrected between Sec. 8 & 17

0.85 a Bur Oak 30 in. dia.
 22.88 a Maple 24 " "
 39.35 set g. sec. post at aver. dist. from which
 a Maple 24 in. dia. bears N 65 E 24 W. dist. 8
 a Swamp Ash 9 " " " S 61 W 30 " "
 39.99 a Maple 26 " "
 58.63 a Swamp Ash 9 in. dia.
 78.70 to sec. cor.

West on Random between Sec. 7 & 18

80.14 Intersect W. Boundary 32 W. N. of post —
 Land same as last described.

N. 89 47 E. Corrected between Sec. 7 & 18

8.45 a Sugar 18 in. dia.
 31.14 a Do 20 " "
 40.14 set g. sec. post from which
 a Beech 5 in. dia. bears N 6 E 12 W. dist. 8
 a Do 11 " " " S 12 W 32 " "
 42.89 a Lym 28 " "
 60.27 a Greenwood 4 in. dia.
 80.14 to sec. cor. October 30, 1838

Bearings for corner in W. Boundary:
 a Beech 5 in. dia. bears N 74 E 8 W. dist. 8
 a Do 7 " " " S 49 E 33 " "

T. 25 N., R. 2 E. 2^d Mer. Ind. a

Ch. Lk.

North between Sec. 7 & 8

15.64 a Beech 14 in. dia.

33.30 a R. Oak 36 " "

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 57° W 35 W. dist. 2

a Lym 26 " " " N 85° E 6 " "

40.75 over dry Slue 20 W. wide course W.

43.20 a Beech 10 in. dia.

57.30 a Maple 24 " "

73.35 a Bur Oak 12 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 12 in. dia. bears S 13° W 3 W. dist. 2

a Do 22 " " " N 22° W 22 " "

Land same as last described.

East on Random between Sec. 5 & 8

79.00 Intersect N & S. line 48 W. S. of post

Land same as last described.

S. 89° 40' W. Corrected between Sec. 5 & 8

6.20 a Beech 22 in. dia.

22.40 a Lym 30 " "

39.50 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears S 23° W 26 W. dist. 2

a Do 24 " " " N 67° E 29 " "

40.70 a Pin Oak 30 " "

64.12 ^{Scrub} Oak 34 " "

79.00 to sec. cor.

West on Random between Sec. 6 & 7

80.26 Intersect W. Boundary 40 W. N. of post

Level 2^d to land. Timber Beech, Oak,
Hickory, Elm, Lym, Ash & Upr. Spice,
Water Beech &c.

N. 89° 43' E. Corrected between Sec. 6 & 7

T. 25 N., R. 2 E., Mer. Ind.^a

Ch. Sk.

Bearings for corner in W. Boundary:

a Beech 9 in. dia. bears N 38 E 48 W. dist. 8
 a Beech 3 " " " S 43 E 30 " "

7.11 a Beech 16 " "

24.06 algray Ash 40 in. dia.

40.26 set of sec. part from which

a Beech 11 in. dia. bears S 35 E 7 W. dist. 8

a Maple 11 " " " N 29 W 37 " "

41.96 a Beech 10 " "

63.83 a Hickory 24 " "

80.26 to sec. cor.

North between Sec. 5 & 6

5.40 a Hickory 7 in. dia.

15.00 enter dry Branch 10 W. wide course NW

23.75 leave Do

27.85 a Hickory 10 in. dia.

40.00 set of sec. part from which

a Bur Oak 22 in. dia. bears S 36 E 6 W. dist.

a Beech 9 " " " N 57 W 38 " "

46.18 a Beech 24 " "

65.50 enter dry Glue 80 W. wide course NW

71.00 leave Do

78.06 algray Ash 30 in. dia.

83.39 Intersect N. Boundary 31 W. of post -
 set post at intersection cor. of Sec. 5 & 6 from wh.

a Beech 11 in. dia. bears S 62 E 56 W. dist. 8

a Lynn 7 " " " S 29 W 40 " "

Land same as last described.

October 31. 1838

General description.

The principal surface of the land in
 this Township is level, mostly 2. & 3 a/c.
 Soil from 6 to 8 inches deep. No water
 except in Deer Creek. Timber principally

261

T. 25 N., R. 2 E. 2. Mer. Ind.?

Beech, Sugar, Elm, Ash &c. very tall & fine. A great many Granite rocks found scattered over the surface.

I hereby certify that in pursuance of a contract of a contract with Robert T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 10th of May 1838, and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections, Township N. 25 North in Range N. 2 East of the 2^d Principal Meridian in the State of Indiana; and I do further certify that the foregoing are the true and original field notes of said survey and subdivision, executed as aforesaid.

Certified this 31st day of October 1838

Arthur T. C. Vance

Deputy Surveyor.

David ^{his} X Frazier }
John F. Sims ^{mark} } Chain carriers
John P. Johnson, Marker.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 25 North, in Range N. 2 East of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,

Cincinnati, Nov. 21. 1844 }

William Johnston
Sur. Genl.

Correct?